




INFORMATION DISCLOSURE CITATION ON AN APPLICATION (Use several sheets if necessary) MAY 19 2004 PATENT & TRADEMARK OFFICE	Atty Docket No. 112461-016	Application No. 10/651,690
	Applicant Joanne Y. H. Kwak-Kim et al.	
	Filing Date August 28, 2003	Group 3736 1644













U.S. PATENT DOCUMENTS							
Examiner's Initials		Document Number	Publication Date	Inventor	Class	Subclass	Filing Date If Appropriate


FOREIGN PATENT DOCUMENTS								
Examiner's Initials		Document Number	Publication Date	Country	Class	Subclass	Translation	
							Yes	No

Examiner's Initials	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)	
	Abe N, Katamura K, Shintaku N, et al. Prostaglandin E2 and IL-4 provide naïve CD4+ T cells with distinct inhibitory signals for the priming of IFN-γ production. <i>Cell Immunol.</i> 1997; 181:86-92.	
	Arck PC, Troutt AB, Clark DA. Soluble receptors neutralizing TNF-alpha and IL-1 block stress-triggered murine abortion. <i>Am. J. Reprod. Immunol.</i> 1997; 37(3):262-66.	



Examiner: 	Date Considered: 2/22/05
*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	


INFORMATION DISCLOSURE CITATION IN AN APPLICATION (Use several sheets if necessary) PTO Form 1449	Atty Docket No. 112461-016	Application No. 10/651,690
	Applicant Joanne Y. H. Kwak-Kim et al.	
	Filing Date August 28, 2003	Group 3236 / 644

Examiner's Initials	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
	Brunet JF, Denizot F, Luciani MF, Roux-Dosseto M, Suzan M, Mattei MG, Golstein P. A new member of the immunoglobulin superfamily--CTLA-4. <i>Nature</i> 1987; 328(6127):267-70.
	Chaouat G, Menu E, Clark DA, Dy M, Minkowski M, Wegmann TG. Control of fetal survival in CBA x DBA/2 mice by lymphokine therapy. <i>J. Reprod. Fertil.</i> 1990; 89(2):447-58.
	Cheong YC, Shelton JB, Laird SM, et al. IL-1, IL-6 and TNF- α concentrations in the peritoneal fluid of women with pelvic adhesions. <i>Hum. Reprod.</i> 2002; 17(1):69-75.
	Cianci A, Calogero AE, Palumbo MA, et al. Relationship between tumor necrosis factor alpha and sex steroid concentrations in the follicular fluid of women with immunological infertility. <i>Hum. Reprod.</i> 1996; 11(2):265-68.
	Clark DA, Chaouat G, Arck PC, Mittrucker HW, Levy GA. Cytokine-dependent abortion in CBA x DBA/2 mice is mediated by the procoagulant fgl2 prothrombinase. <i>J. Immunol.</i> 1998; 160(2):545-49.
	Clark DA, Croitoru K. TH1 TH2.3 imbalance due to cytokine-producing NK, gamma delta T and NK-gamma delta T cells in murine pregnancy decidua in success or failure of pregnancy. <i>Am. J. Reprod. Immunol.</i> 2001; 45: 257-65.
	Curtis P, Lindsay P, Jackson AE, Shaw RW. Adverse effects on sperm movement characteristics in women with minimal and mild endometriosis. <i>Br. J. Obstet. Gynaecol.</i> 1993; 100(2):165-69.
	Del Prete G, De Carli M, Lammel RM, D'Elios MM, Daniel KC, Giusti B, Abbate R, Romagnani S. Th1 and Th2 T-helper cells exert opposite regulatory effects on procoagulant activity and tissue factor production by human monocytes. <i>Blood</i> 1995; 86(1):250-57.
	Gafter U, Sredni B, Segal J, Kalechman Y. Suppressed cell-mediated immunity and monocyte and natural killer cell activity following allogeneic immunization of women with spontaneous recurrent abortion. <i>J. Clin. Immunol.</i> 1997; 17(5):408-19.
	Gucer F, Balkanli-Kaplan P, Tuksel M, Sayin NC, Tuce MA, Yardim T. Maternal serum levels of tumor necrosis factor-alpha and interleukin-2 receptor in threatened abortion: a comparison with normal and pathologic pregnancies. <i>Fertile Steril.</i> 2001; 76(4):707-11.
	Hutloff A, Dittrich AM, Beier KC, Eliaschewitsch B, Kraft R, Anagnostopoulos I, Kroczeck RA. ICOS is an inducible T-cell co-stimulator structurally and functionally related to CD28. <i>Nature</i> 1999; 397(6716):263-66.
	Iwabe T, Harada T, Terakawa N. Role of cytokines in endometriosis-associated infertility. <i>Gynecol Obstet Invest.</i> 2002; 1:19-25.



Examiner: 	Date Considered: 2/22/05
*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	


INFORMATION DISCLOSURE CITATION IN AN APPLICATION (Use several sheets if necessary) PTO Form 1449	Atty Docket No. 112461-016	Application No. 10/651,690
	Applicant Joanne Y. H. Kwak-Kim et al.	
	Filing Date August 28, 2003	Group 3736/644


Examiner's Initials	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
	Jenkins MK, Schwartz RH. Antigen presentation by chemically modified splenocytes induces antigen-specific T cell unresponsiveness in vitro and in vivo. <i>J. Exp. Med.</i> 1987; 165(2):302-19.
	Jenkins MK, Ashwell JD, Schwartz RH. Allogeneic non-T spleen cells restore the responsiveness of normal T cell clones stimulated with antigen and chemically modified antigen-presenting cells. <i>J. Immunol.</i> 1988; 140(10):3324-30.
	Klinman DM, Yi AK, Beaucage SL, Conover J, Krieg AM. CpG motifs present in bacteria DNA rapidly induce lymphocytes to secrete interleukin 6, interleukin 12, and interferon gamma. <i>Proc. Natl. Acad. Sci.</i> 1996; 93(7):2879-83.
	Kreig AM, Yi AK, Matson S, Waldschmidt TJ, Bishop GA, Teasdale R, Koretzky GA, Klinman DM. CpG motifs in bacterial DNA trigger direct B-cell activation. <i>Nature</i> 1995; 374(6522):546-49.
	Levrin D, Mashiach S, Dor J, Levron J, Farhi J. Zygote intrafallopian transfer may improve pregnancy rate in patients with repeated failure of implantation. <i>Fertile Steril.</i> 1998; 69(1):26-30.
	Lin H, Mosmann T, Guilbert L, Tuntipopipat S, Wegmann T. Synthesis of T helper 2-type cytokines at the maternal-fetal interface. <i>J. Immunol.</i> 1993; 151:4562-73. <i>Abstract only.</i>
	Linsley PS, Brady W, Grosmaire L, Aruffo, A, Damle NK, Ledbetter JA. Binding of the B cell activation antigen B7 to CD28 costimulates T cell proliferation and interleukin 2 mRNA accumulation. <i>J. Exp. Med.</i> 1991; 173(3):721-30.
	Marzi M, Vigano A, Trabattoni D. Characterization of type 1 and type 2 cytokine production profile in physiologic and pathologic human pregnancy. <i>Clin. Exp. Immunol.</i> 1996; 106:127-33.
	McGee ZA, Clemens CM, Jensen RL, Klein JJ, Barley LR, Gorby GL. Local induction of tumor necrosis factor as a molecule mechanism of mucosal damage by gonococci. <i>Microb. Pathog.</i> 1992; 12(5):333-41. <i>Abstract only.</i>
	Mellor AL, Munn DH. Immunology at the maternal-fetal interface: lessons for T cell tolerance and suppression. <i>Annu. Rev. Immunol.</i> 2000; 18:367-91.
	Mosmann TR, Coffman RL. TH1 and TH2 cells: different patterns of lymphokine secretion lead to different functional properties. <i>Annu. Rev. Immuno.</i> 1989; 7:145-73.
	Mosmann T, Sad S. The expanding universe of T-cell subsets. <i>Immunol. Today</i> 1996; 17:138-46.

Examiner: 	Date Considered: 2/22/05
*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

INFORMATION DISCLOSURE CITATION IN AN APPLICATION (Use several sheets if necessary) PTO Form 1449	Arty Docket No. 112461-016	Application No. 10/651,690
	Applicant Joanne Y. H. Kwak-Kim et al.	
	Filing Date August 28, 2003	Group 3736 1644

Examiner's Initials	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
	Nickerson P, Steurer W, Steiger J, et al. Cytokines and the Th1/Th2 paradigm in transplantation. <i>Curr. Opin. Immunol.</i> 1994; 6:757-64.
	Ng SC, Gilman-Sachs A, Thaker P, Beaman KD, Beer AE, Kwak-Kim J. Expression of intracellular Th1 and Th2 cytokines in women with recurrent spontaneous abortion, implantation failures after IVF/ET or normal pregnancies. <i>Am. J. Reprod. Immunol.</i> 2002; 48:77-86.
	Piccinni MP, Giudizi MG, Biagiotti R, et al. Progesterone favors the development of human T helper cells producing Th2-type cytokines and promotes both IL-4 production and membrane CD30 expression in established Th1 cell clones. <i>J. Immunol.</i> 1995; 155:128-33. <i>Abstract only.</i>
	Raghupathy R, Makhseed M, Azizieh F, Hassan N, Al-Azemi M, Al-Shamali E. Maternal Th1- and Th2-type reactivity to placental antigens in normal human pregnancy and unexplained recurrent spontaneous abortions. <i>Cell Immunol.</i> 1999; 196(2):122-30.
	Raghupathy R, Makhseed M, Azizieh F, Omu A, Gupta M, Farhat R. Cytokine production by maternal lymphocytes during normal human pregnancy and in unexplained recurrent spontaneous abortion. <i>Hum. Reprod.</i> 2000; 15:713-18.
	Reznikoff-Etievant MF, Durieux I, Lobet R, et al. Immunologic abortion and its treatment by immunotherapy. <i>Rev. Fr. Transfus. Immunohematol.</i> 1986; 29:135-48. <i>Abstract only.</i>
	Romagnani P, Annunziano F, Piccinni M, Maggi E, Romagnani S. Th1 Th2 cells, their associated molecules and role in pathophysiology. <i>Eur. Cytokine Netw.</i> 2000; 11:510-11.
	Romagnani S. The Th1/Th2 paradigm. <i>Immunol. Today</i> 1997; 18:263-66.
	Savion S, Lepsky E, Orenstein H, Carp H, Shepshelovich J, Torchinsky A, Fein A, Toder V. Apoptosis in the uterus of mice with pregnancy loss. <i>Am. J. Reprod. Immunol.</i> 2002; 47(2):118-27.
	Savion S, Zeldich E, Orenstein H, Shepshelovich J, Torchinsky A, Carp H, Toder V, and Fein A. Cytokine expression in the uterus of mice with pregnancy loss: effect of maternal immunopotential with GM-CSF. <i>Reproduction</i> 2002; 123(3):399-409.
	Sparwasser T, Koch EA, Vabulas RM, Heeg K, Lipford GB, Ellwart JW, Wagner H. Bacterial DNA and immunostimulatory CpG oligonucleotides trigger maturation and activation of murine dendritic cells. <i>Eur. J. Immunol.</i> 1998; 28(6):2045-54.
	Yui J, Garcia-Lloret M, Wegmann TG, and Guilbert LJ. Cytotoxicity of tumour necrosis factor-alpha (TNF-alpha) and gamma-interferon (IFN-gamma) against primary human placental trophoblasts. <i>Placenta</i> 1994; 15(8):819-35.

Examiner: 	Date Considered: 2/22/05
*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	



**INFORMATION DISCLOSURE CITATION
IN AN APPLICATION**
(Use several sheets if necessary)

PTO Form 1449

Atty Docket No. 112461-016	Application No. 10/651,690
Applicant Joanne Y. H. Kwak-Kim et al.	
Filing Date August 28, 2003	Group 3736 1644

U.S. PATENT DOCUMENTS						
Examiner's Initials	Document Number	Publication Date	Inventor	Class	Subclass	Filing Date If Appropriate
<i>[Signature]</i>	2001/0044416 A1	November 22, 2001	McCluskie et al.	—	—	

FOREIGN PATENT DOCUMENTS							
Examiner's Initials	Document Number	Publication Date	Country	Class	Subclass	Translation	
						Yes	No

Examiner's Initials	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)	

Examiner: <i>[Signature]</i>	Date Considered: 2/22/05
*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	